



Document shredders and laminators



Large enterprise or home office?

HP offers a wide range of powerful, practical reliable shredders and laminators that meet the needs for productivity and security in large enterprises and home offices.



Contents

Document shredders

HP Pro Shredder Auto

Page 4

HP OneShred Auto

Page 10

HP Pro Shredder

Page 16

HP OneShred

Page 22

Shredder accessories

Page 28

Laminators

HP Pro Laminators

Page 32

HP OneLam

Page 36

Laminating pouches

HP Premium laminating pouches

Page 40

HP Everyday laminating pouches

Page 44

*Data protection –
the easy way*



HP Pro Shredder Auto

The autofeed models that make data protection easy!



HP Pro Shredder Auto 200CC / 200MC



HP Pro Shredder Auto 400CC / 400MC

Quick benefits



High security levels

Depending on the type of cut being utilised, the models meet Security Level P-4 or P-5



Cut type

The document shredders are available as Cross Cut (CC) or Micro Cut (MC) models



Cutting capacity Autofeed

Depending on the model, an automatic feed of max. 200 or 400 sheets is achievable



What can be cut?

Paper, credit cards, paperclips and staples as well as CDs and DVDs (depending on the model)



FIRMENNAME

RECHNUNG

K123 345678
so.mayibekom.de.com
Hauptstr. 123
PLZ Musterstadt

Z. HD: Max Mustermann
Titel:
Firma:
Kunden-Nr. 43
PLZ Musterstadt
Datum: 10.01.24

Profilname: Proskat
Profilbeschreibung: Beschreibung
Auftragsnummer: 12345
Rechnungsnummer: 67890
Zahlungsziel: 30 Tage

Beschreibung			
	Menge	Preis/St.	Kosten
Objekt 1	50	100,00 €	5.500,00 €
Objekt 2	10	90,00 €	1.170,00 €
Objekt 3	25	50,00 €	1.250,00 €
MwSt:			
		Zwischen- summe	7.920,00 €
		10,00 %	792,00 €
		Gesamt	8.712,00 €

Wir danken Sie für den Auftrag und die angenehme Zusammenarbeit.
9.434,00 €

Pro Shredder Auto 200MC



LIFT



	Pro Shredder Auto 200CC	Pro Shredder Auto 200MC	Pro Shredder Auto 400CC	Pro Shredder Auto 400MC
Technical data	Shred capacity manual feed	10 Sheet	10 Sheet	10 Sheet
	Shred capacity autofeed	200 Sheet	200 Sheet	400 Sheet
	Cut type	Cross Cut	Micro Cut	Cross Cut
	Cut size	4 x 20 mm	2 x 12 mm	4 x 12 mm
	Security level (DIN 66399)	P-4	P-5	P-4
	Run time, manual feed	10 min	10 min	30 min
	Run time, autofeed	60 min	60 min	240 min
	Noise level	60 dB	60 dB	60 dB
	Bin capacity (L)	32.2	32.2	53
	Rated sheet shredding speed	1,8 m / min	1,8 m / min	1,8 m / min
	Power	345 W	414 W	345 W
	Current	1.5 A	1.8 A	1.5 A
	Bin full through	LED display / window	LED display / window	LED display / window
	Display for open container	Yes	Yes	Yes
	Automatic return	Yes	Yes	Yes
	Castors included	Yes	Yes	Yes
Logistical data	CD/DVD-Destruction	No	No	Yes
	Paper tray lock	No	No	Yes
	Art. No.	2820	2821	2822
	Barcode (unit)	4030152952397	4030152952403	4030152952410
	Unit dimensions (mm)	356 x 466 x 584	356 x 466 x 584	400 x 500 x 764
	Unit weight (kg)	15,7	17,9	23,4
				25,6

Pro Shredder Auto 200CC

10/200 Sheet



Manual feed/Autofeed

Pro Shredder Auto 200MC

10/200 Sheet



Manual feed/Autofeed

Pro Shredder Auto 400CC

10/400 Sheet



Manual feed/Autofeed

Pro Shredder Auto 400MC

10/400 Sheet



Manual feed/Autofeed

All shredders listed above include the following features:

- overheating and overload protection
- material to be cut with manual paper feed: paper, staples and paper clips, credit cards
- material to be cut with automatic paper feed: paper, staples and paper clips
- automatic start-stop function
- easy emptying thanks to pull-out basket
- touch display: ready for operation, overheating, overload, container full

*The efficient way
to data security*



HP OneShred Auto

These powerful autofeed shredders are particularly robust and efficient!



HP OneShred Auto 80CC



HP OneShred Auto 100CCC



HP OneShred Auto 200CCC

Quick benefits



High security levels

the models meet Security Level P-4



Cut type

The document shredders are available as Cross Cut (CC)




Cutting capacity Autofeed

Depending on the model, an automatic feed of max. 80, 100 or 200 sheets is achievable



What can be cut?

Paper and credit cards





	OneShred Auto 80CC	OneShred Auto 100CC	OneShred Auto 200CC
Shred capacity manual feed	8 Sheet	9 Sheet	13 Sheet
Shred capacity autofeed	80 Sheet	100 Sheet	200 Sheet
Cut type	Cross Cut	Cross Cut	Cross Cut
Cut size	4,3 x 12 mm	4,3 x 12 mm	4,3 x 12 mm
Security level (DIN 66399)	P-4	P-4	P-4
Run time, manual feed	3 min	3 min	15 min
Run time, autofeed	10 min	10 min	60 min
Noise level	68 dB	68 dB	63 dB
Bin capacity (L)	15	17	28
Rated sheet shredding speed	2 m / min	2,1 m / min	2 m / min
Power	414 W	414 W	437 W
Current	1.8 A	1.8 A	1.9 A
Bin full through	LED display / window	LED display / window	LED display / window
Display for open container	No	No	No
Automatic return	No	No	No
Rollers included	No	Yes	Yes

Art. No.	2817	2818	2819
Barcode (unit)	4030152028177	4030152028184	4030152028191
Unit dimensions (mm)	330 x 219 x 425	331 x 218 x 502	376 x 280 x 586
Unit weight (kg)	7,7	8,4	13,5
More information			

OneShred Auto 80CC

80 Sheet



Autofeed

8 Sheet



Manual feed

OneShred Auto 100CC

100 Sheet



Autofeed

9 Sheet



Manual feed

OneShred Auto 200CC

200 Sheet



Autofeed

13 Sheet



Manual feed

All shredders listed above include the following features:

- overheating and overload protection
- material to be cut with manual paper feed: paper, credit cards
- material to be cut with automatic paper feed: paper
- automatic start-stop function
- easy emptying thanks to pull-out basket
- LED status indicator: ready, forward, reverse, overheat, overload



It's all about data protection

HP Pro Shredder

These professional business document shredders are extraordinarily powerful and quiet!



HP Pro Shredder 15CC / 10MC



HP Pro Shredder 18CC / 12MC



HP Pro Shredder 24CC / 16MC

Quick benefits



High security levels

Depending on the type of cut being utilised, the models meet Security Level P-4 or P-5



Operating noise

With a noise level of only 55 decibels, the shredders are exceptionally quiet



Cut type

The document shredders are available as Cross Cut (CC) or Micro Cut (MC) models



What can be cut?

Paper, credit cards, paper clips and staples



Data protection and safety



What you should know about the protection classes

- ! HP shredders are available as
- high security levels P-4 and P-5

P-1

- internal communication
- EC- and credit cards
- forms or notices
- no personal data



Strip cut
 $\leq 12 \text{ mm width}$

P-2

- internal communication
- EC- and credit cards
- forms or notices
- no personal data



Strip cut
 $\leq 6 \text{ mm width}$

P-3

- orders
- offers and confirmations
- delivery notes with address data



Particle cut
 $\leq 320 \text{ mm}^2 \text{ area or}$
 $\leq 2 \text{ mm particle width}$

P-4

- customer data
- tax and financial documents
- operating documents



Particle cut
 $\leq 160 \text{ mm}^2 \text{ area and}$
 $\leq 6 \text{ mm particle width}$

P-5

- strategy papers
- construction documents
- balance sheets
- process documents
- patient files



Microcut
 $\leq 30 \text{ mm}^2 \text{ area and}$
 $\leq 2 \text{ mm particle width}$

P-6

- research and development data
- patents



Microcut
 $\leq 10 \text{ mm}^2 \text{ area and}$
 $\leq 1 \text{ mm particle width}$

P-7

- military high security data
- communication service
- embassies



Super microcut
 $\leq 5 \text{ mm}^2 \text{ area and}$
 $\leq 1 \text{ mm particle width}$

		Pro Shredder 15CC	Pro Shredder 10MC	Pro Shredder 18CC	Pro Shredder 12MC	Pro Shredder 24CC	Pro Shredder 16MC
Technical data	Shred capacity	15 sheets	10 sheets	18 sheets	12 sheets	24 sheets	16 sheets
	Cut type	Cross cut	Micro cut	Cross cut	Micro cut	Cross cut	Micro cut
	Cut size	4 x 35 mm	2 x 15 mm	4 x 35 mm	2 x 15 mm	4 x 35 mm	2 x 15 mm
	Security level (DIN 66399)	P-4	P-5	P-4	P-5	P-4	P-5
	Run time	20 min	20 min	30 min	30 min	40 min	40 min
	Noise level	55 dB	55 dB	55 dB	55 dB	55 dB	55 dB
	Bin capacity (L)	20	20	25	25	30	30
	Rated sheet shredding speed	1,6 m / min	1,6 m / min	1,6 m / min	1,6 m / min	1,6 m / min	1,6 m / min
	Power	350 W	350 W	550 W	600 W	680 W	680 W
	Current	2.0 A	2.0 A	2.5 A	2.5 A	3.0 A	3.0 A
Logistical data	Bin full through	window	window	LED display	LED display	LED display	LED display
	Display for open container	No	No	No	No	No	No
	Art. No.	2811	2812	2813	2814	2815	2816
	Barcode (unit)	4030152028115	4030152028122	4030152028139	4030152028146	4030152028153	4030152028160
	Unit dimensions (mm)	354 x 240 x 535	354 x 240 x 535	400 x 271,5 x 592	400 x 271,5 x 592	424,3 x 295 x 644,5	424,3 x 295 x 644,5
	Unit weight (kg)	10,6	10,6	14,2	14,3	20	18,2
	More information						

All shredders listed above include the following features:

- overheating and overload protection
- automatic return
- material to be cut: paper, staples, paper clips, credit cards
- automatic start-stop function
- pull out basket allows for easy emptying
- LED status indicator: ready, forward, reverse, overheat, overload



*Smart security
with a single touch*

HP OneShred

Modern shredders for everyday requirements that ensure simple and secure shredding of documents



HP OneShred 8CC / 12CC HP OneShred 15CC / 10MC HP OneShred 18CC / 12MC HP OneShred 24CC / 16MC

Quick benefits



High security levels

Depending on the type of cut being utilised, the models meet Security Level P-4 or P-5



Cut type

The document shredders are available as Cross Cut (CC) or Micro Cut (MC) models




Return function

Automatic reverse if too much paper is fed in at the same time



What can be cut?

Paper, credit cards, paper clips and staples





OneShred 18CC

overheat

bin open

overload

bin full

to be placed vertically



	OneShred 8CC / OneShred 8CC Black	OneShred 12CC
Shred capacity	8 sheets	12 sheets
Cut type	Cross cut	Cross cut
Cut size	5 x 18 mm	4 x 35 mm
Security level (DIN 66399)	P-4	P-4
Run time	4 min	6 min
Noise level	68 dB	65 dB
Bin capacity (L)	15	23
Rated sheet shredding speed	1,8 m / min	1,8 m / min
Power	200 W	300 W
Current	1.2 A	1.4 A
Bin full through	window	window
Display for open container	No	No

Art. No.	2801 / 2809 (UK) 2826 (Black) / 2827 (Black UK)	2802 / 2810 (UK)
Barcode (unit)	4030152028016 / 4030152028092 (UK) 4030152953202 (Black) / 4030152953981 (Black UK)	4030152028023 / 4030152028108 (UK)
Unit dimensions (mm)	320 x 190 x 416	345 x 235 x 485
Unit weight (kg)	4,3	5,9
More information		

- overheating and overload protection
- automatic return
- material to be cut: paper, staples, paper clips, credit cards

- automatic start-stop function
- easy emptying due to removable shredder head
- LED Status Indicator: ready, forward, reverse, overheat, overload



HP OneShred 8CC /
HP OneShred 8CC Black



HP OneShred 12CC

	OneShred 15CC	OneShred 10MC	OneShred 18CC	OneShred 12MC	OneShred 24CC	OneShred 16MC
Shred capacity	15 sheets	10 sheets	18 sheets	12 sheets	24 sheets	16 sheets
Cut type	Cross cut	Micro cut	Cross cut	Micro cut	Cross cut	Micro cut
Cut size	4 x 35 mm	2 x 15 mm	4 x 35 mm	2 x 15 mm	4 x 35 mm	2 x 15 mm
Security level (DIN 66399)	P-4	P-5	P-4	P-5	P-4	P-5
Run time	10 min	10 min	20 min	20 min	> 30 min	> 30 min
Noise level	65 dB	65 dB	65 dB	65 dB	< 65 dB	< 65 dB
Bin capacity (L)	20	20	25	25	30	30
Rated sheet shredding speed	1,8 m / min	1,6 m / min	1,6 m / min	1,6 m / min	1,6 m / min	1,6 m / min
Power	350 W	350 W	450 W	600 W	680 W	680 W
Current	1.8 A	1.8 A	2.0 A	2.0 A	3.0 A	3.0 A
Bin full through	window	window	LED display	LED display	LED display	LED display
Display for open container	No	No	Yes	Yes	Yes	Yes

Art. No.	2803	2804	2805	2806	2807	2808
Barcode (unit)	4030152028030	4030152028047	4030152028054	4030152028061	4030152028078	4030152028085
Unit dimensions (mm)	354 x 240 x 534	354 x 240 x 534	400 x 271,5 x 590	400 x 271,5 x 590	424 x 295 x 644,5	424 x 295 x 644,5
Unit weight (kg)	9,4	9,4	12,2	12,2	20	18,4

More information



All shredders listed above include the following features:

- overheating and overload protection
- automatic return
- material to be cut: paper, staples, paper clips, credit cards
- automatic start-stop function
- pull out basket allows for easy emptying
- LED status indicator: ready, forward, reverse, overheat, overload

*For care and cleaning
of the cutting unit*



Care products for your HP Shredder

So that you will enjoy your shredder for a long time

At regular intervals, you should clean and maintain the cutting mechanism of your shredder. Over time, dust and paper residues accumulate from which your shredder should be cleaned. This not only extends the runtime and life of the shredder, the operating noise will also be reduced.



HP Shredder Oil
120 ml



HP Shredder Oil
400 ml



HP Shredder Oil Sheets

Quick benefits



Cleaning and care

The special oil frees the cutting unit from dust and paper residues



Lifetime

Regular cleaning ensures a longer run time for the shredder



Operating noise

With regular maintenance the noise level during operation remains pleasantly low



Environmentally friendly

Use of vegetable lubricants ensures no harmful substances for the environment



Shredder Oil Sheets

For care and cleaning of the cutting unit

Ölpapier für Aktenvernichter

Zur Pflege und Reinigung des Schneidwerks

12

Sheets



Plant based



Extends
lifetime



Reduces
noises



Product data

	Shredder Oil 120 ml	Shredder Oil 400 ml	Shredder Oil Sheets
Capacity	120 ml	400 ml	12 Blatt
Plant based	Yes	Yes	Yes
Packing size	closable dosing bottle	closable dosing bottle	Folding box with perforation

Logistical data

Art. No.	9131	9132	9133
Barcode (unit)	4030152091317	4030152091324	4030152091331
Unit dimensions (mm)	63 x 27 x 140	87 x 46 x 251	221 x 177 x 8
Unit weight (kg)	0,148	0,465	0,120
More information			



*Smart and fast
document protection*

HP Pro Laminators

High-quality laminators for professional demands -
extremely fast and absolutely effective



HP Pro Laminator 600 A4 / 600 A3

Quick benefits



Warm-up time

Heats up and ready for use in only
60 seconds



Speed

Film lamination of up to 1,500 mm per
minute using 80 micron laminating pouches



Film thickness

Suitable for laminating films with a
thickness of 75/80 to 125 microns



Touch Panel

Intuitive handling via a control panel with all
essential functions



Laminating size min. credit card size -
max. DIN A4 / A3

Laminating range 75/80 - 125 mic

Maximum thickness 0,5 mm

Cold laminating Yes

Temperature transport rollers 130 - 160 °C

Heating system 2 externally heated rollers,
temperature controlled

Automatic standby 30 min

Warm up time (75/80 mic) 1 min

Laminating speed 600 mm / min

Power 1200 W / 1450 W

Current 5.2 A / 6.3 A

Art. No. 3163 / 3164

Barcode (unit) 4030152031634 / 4030152031641

Unit dimensions (mm) 420 x 155 x 102,9 / 526 x 165 x 116,8

Unit weight (kg) 2,24 / 2,92

More information



All laminators listed above include the following features:

- voltage / mains frequency: 220 - 240 V / 50/60 Hz
- function for releasing the film jam (ABS) via rewind button on the touch panel
- foldable insertion aid
- accessories: 15 pouches (3 x DIN A4, 4 x DIN A5, 4 x DIN A6, 4 x business cards)
- operating modes on the touch panel: power, 75/80 mic, 125 mic, cold, rewind

Protection meets Creativity



HP OneLam

Compact laminators for hobby, office workplace and the private household



HP OneLam 400 A4 / OneLam 400 A3



HP OneLam 270 A4

HP OneLam Combo A3

Quick benefits



Usability

HP OneLam 400 A4/A3 and Combo A3:
Suitable for hot as well as cold lamination
HP OneLam 270 A4:
Only suitable for hot lamination



Accessories

HP OneLam 400 A4/A3 and Combo A3:
Incl. assorted pouch set, corner rounding cutter and cutting ruler
HP OneLam 270 A4:
Incl. 5 x DIN A4 pouches



Film thickness

Suitable for laminating films with a thickness of 75/80 to 125 microns




Functions

With a roller release lever to clear paper jams



Accessories HP OneLam 400 A3

Includes cutting ruler, corner rounding cutter and assorted pouch set, with practical storage for corner rounding unit and cutting ruler on the underside of the device



Accessories HP OneLam Combo A3

Integrated cutter for straight, wavy or perforated cuts - perfect for creative crafting

Laminating size	min. credit card size - max. DIN A4	min. credit card size - max. DIN A3	min. credit card size - max. DIN A3
Laminating range	80 - 125 mic	75/80 - 125 mic	75/80 - 125 mic
Maximum thickness	0,5 mm	0,5 mm	0,5 mm
Cold laminating	No	Yes	Yes
Temperature transport rollers	120 +-15 °C	120 - 150 °C	120 - 150 °C
Heating system	Heating-wire thermostat	2 rollers heatable from inside, temperature controlled	2 rollers heatable from inside, temperature controlled
Automatic standby	No	30 min	30 min
Warm up time (75/80 mic)	<4 min	2-4 min	2-4 min
Laminating speed	270 mm / min	400 mm / min	400 mm / min
Power	230 W	400 W	400 W
Current	1.0 A	1.74 A	1.74 A
Insertion aid foldable	No	Yes	No

Art. No.	3167	3160 / 3161	3162
Barcode (unit)	4030152953226	4030152031603 / 4030152031610	4030152031627
Unit dimensions (mm)	332 x 120 x 63	380 x 123 x 81 / 460 x 140 x 86	460 x 158 x 115
Unit weight (kg)	0,94	1,35 / 1,77	1,65

More information



All laminators listed above include the following features:

- voltage / mains frequency: 220-240 V / 50/60 Hz
- film jam release function (ABS)
- button modes: on/off, 75/80 mic, 125 mic

*Durable protection for photos,
graphics and all types
of documents*



HP Premium laminating pouches

The right premium laminating films for your HP laminator



Quick benefits



Film thickness

Available in 80, 125 and 250 microns



Formats

Available in the popular size DIN A3 as well as DIN A4



Application

These laminating films are only suitable for hot lamination



Features

Laminating pouches are available in a clear format with a gloss finish



Premium laminating pouches

Laminierfolien Premium



Durable protection for
photos, graphics and all
types of documents.
Dauerhafter Schutz für
Fotos, Grafiken und alle
Arten von Dokumenten.



Product data

	A4, 125 mic, 25 pcs. perforated	A4, 80 mic, 100pcs.	A4, 125 mic, 100 pcs.	A4, 250 mic, 50 pcs.
Art. No.	9122	9123	9124	9125
Barcode (unit)	4030152091225	4030152091232	4030152091249	4030152091256
Format	DIN A4 prepunched	DIN A4	DIN A4	DIN A4
Pouch size	228 x 303 mm	216 x 303 mm	216 x 303 mm	216 x 303 mm
Thickness (micron)	125	80	125	250
Pouches (pack)	25	100	100	50
More information				

Logistical data

	A3, 80 mic, 50 pcs.	A3, 125 mic, 50 pcs.	A3, 250 mic, 25 pcs.
Art. No.	9126	9127	9128
Barcode (unit)	4030152091263	4030152091270	4030152091287
Format	DIN A3	DIN A3	DIN A3
Pouch size	303 x 426 mm	303 x 426 mm	303 x 426 mm
Thickness (micron)	80	125	250
Pouches (pack)	50	50	25
More information			

*Durable protection for photos,
graphics and all types
of documents*



HP Everyday laminating pouches

The right everyday laminating films for your HP laminator



Quick benefits



Film thickness

Available in a film thickness of 75 to 80 microns



Application

Laminating films suitable for hot lamination only



Formats

From business card formats as well as DIN A6 and DIN A5 up to DIN A4 and DIN A3 sizes



Features

Laminating pouches are available in a clear format with a gloss finish



Everyday laminating pouches

Laminierfolien Everyday



Durable protection for
photos, graphics and all
types of documents.
Dauerhafter Schutz für
Fotos, Grafiken und alle
Arten von Dokumenten.

A4
216 x 303

75
Micron

100
Pouches

Crystal clear

Glossy

**Hot
laminating**

	A3, 80 mic, 25 pcs.	A4, 80 mic, 25 pcs. Small Pack	A4, 80 mic, 100 pcs. Big Pack	A5, 80 mic, 25 pcs.
Art. No.	9152	9153	9154	9155
Barcode (unit)	4030152091522	4030152091539	4030152091546	4030152091553
Format	DIN A3	DIN A4	DIN A4	DIN A5
Pouch size	303 x 426 mm	216 x 303 mm	216 x 303 mm	154 x 216 mm
Thickness (micron)	80	80	80	80
Pouches (pack)	25	25	100	25
More information				

	A6, 80 mic, 25 pcs.	Business card, 80 mic, 100 pcs.	Starter Set, 80 mic, 100 pcs.	A4, 75 mic, 100 pcs.
Art. No.	9156	9157	9158	9159
Barcode (unit)	4030152091560	4030152091577	4030152091584	4030152952434
Format	DIN A6	business cards	DIN A4, DIN A5, DIN A6, business cards	DIN A4
Pouch size	110 x 160 mm	60 x 95 mm	diverse	216 x 303 mm
Thickness (micron)	80	80	80	75
Pouches (pack)	25	100	100 (25 pcs. per format)	100
More information				



HP is a trademark of HP Inc. or its affiliates, used by GO Europe GmbH under license from HP Inc.:
GO Europe GmbH | Zum Kraftwerk 1 | 45527 Hattingen (Germany)
sales-hp@go-europe.com | www.hp.com/officeequipment

V2417